



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

4-pass filter



THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **4 pass filter**Found **13,040** of **186,958**

Sort results by

relevance

[Save results to a Binder](#)

Display results

expanded form

[Search Tips](#)☐ Open results in a new windowTry an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐**1** [Interactive path analysis of web site traffic](#)

Pavel Berkhin, Jonathan D. Beche, Dee Jay Randall

August 2001 **Proceedings of the seventh ACM SIGKDD international conference on Knowledge discovery and data mining**

Publisher: ACM Press

Full text available: pdf(519.79 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#)

The goal of **Path Analysis** is to understand visitors' navigation of a Web site. The fundamental analysis component is a path. A path is a finite sequence of elements, typically representing URLs or groups of URLs. A full path is an abstraction of a visit or a session, which can contain attributes described below. Subpaths represent interesting subsequences of the full paths. Path Analysis provides user-configurable extraction, filtering, preprocessing, noise reduction, descriptive st ...

2 [Traffic characterization: Characteristics of internet background radiation](#)

Ruoming Pang, Vinod Yegneswaran, Paul Barford, Vern Paxson, Larry Peterson

October 2004 **Proceedings of the 4th ACM SIGCOMM conference on Internet measurement**

Publisher: ACM Press

Full text available: pdf(396.12 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Monitoring any portion of the Internet address space reveals incessant activity. This holds even when monitoring traffic sent to unused addresses, which we term "background radiation." Background radiation reflects fundamentally nonproductive traffic, either malicious (flooding backscatter, scans for vulnerabilities, worms) or benign (misconfigurations). While the general presence of background radiation is well known to the network operator community, its nature has yet to be broadly charac ...

Keywords: honeypot, internet background radiation, network telescope**3** [Security in a networked environment](#)

Cleopas O. Angaye

June 1995 **ACM SIGAPP Applied Computing Review**, Volume 3 Issue 1

Publisher: ACM Press

Full text available: pdf(338.01 KB)

Additional Information: [full citation](#), [abstract](#), [index terms](#)

Networking allows multiple users to share data, information, software, and hardware. In addition, a network can centralize the management of a large base of connected processing units often configured to provide one location for coordinating security, backup and control. Security is the means to limit damage to data and to prevent user access to unauthorized information. The question of maintaining adequate security provisions

across heterogenous platforms presents new security challenges for th ...

Keywords: LAN, networking, security, server

4 Separable image warping with spatial lookup tables



G. Wolberg, T. E. Boult

July 1989 **ACM SIGGRAPH Computer Graphics , Proceedings of the 16th annual conference on Computer graphics and interactive techniques SIGGRAPH '89**, Volume 23 Issue 3

Publisher: ACM Press

Full text available: pdf(1.99 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

Image warping refers to the 2-D resampling of a source image onto a target image. In the general case, this requires costly 2-D filtering operations. Simplifications are possible when the warp can be expressed as a cascade of orthogonal 1-D transformations. In these cases, separable transformations have been introduced to realize large performance gains. The central ideas in this area were formulated in the 2-pass algorithm by Catmull and Smith. Although that method applies over an important cla ...

5 Document detection: TIPSTER phase I final report

Bill Caid, Stephen Gallant, Joel Carleton, David Sudbeck

September 1993 **Proceedings of a workshop on held at Fredericksburg, Virginia: September 19-23, 1993**

Publisher: Association for Computational Linguistics

Full text available: pdf(1.84 MB)

Additional Information: [full citation](#), [abstract](#)

During Phase I of the TIPSTER program, HNC developed a unique approach to machine learning of similarity of meaning. This approach, embodied in a system called "MatchPlus", exploits this learned similarity of meaning for concept-based text retrieval, routing and visualization of textual information. MatchPlus uses an information representation scheme called "context vectors" to encode similarity of usage. Key attributes of the context vector approach are as follows: • Words, documents, and q ...

6 Filtering: Bayesian online classifiers for text classification and filtering



Kian Ming Adam Chai, Hai Leong Chieu, Hwee Tou Ng

August 2002 **Proceedings of the 25th annual international ACM SIGIR conference on Research and development in information retrieval**

Publisher: ACM Press

Full text available: pdf(236.06 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)

This paper explores the use of Bayesian online classifiers to classify text documents. Empirical results indicate that these classifiers are comparable with the best text classification systems. Furthermore, the online approach offers the advantage of continuous learning in the batch-adaptive text filtering task.

Keywords: bayesian, machine learning, online, text classification, text filtering

7 Optimizing computations in a transposed direct form realization of floating-point LTI-FIR systems

N. Sankarayya, K. Roy, D. Bhattacharya

November 1997 **Proceedings of the 1997 IEEE/ACM international conference on Computer-aided design**

Publisher: IEEE Computer Society

Full text available: pdf(188.36 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [citings](#), [index terms](#)



[Publisher Site](#)

The inherent computational redundancy in discrete-time LTI-FIR system response

computations in Digital Signal Processing have been exploited in a variety of ways to minimize the computational complexity. We present an improved algorithm-level computational optimization that uses sorted recursive differences between coefficients representing the system transfer function with a Floating-Point number representation to extract maximum benefits from this redundancy. It can be applied to any LTI-FIR s ...

Keywords: DSP, FIR, filters, low-power, Differential Coefficients, Sorted Recursive Differences, multiplication

8 Applications II: Towards automatic analysis of social interaction patterns in a nursing home environment from video



Datong Chen, Jie Yang, Howard D. Wactlar

October 2004 **Proceedings of the 6th ACM SIGMM international workshop on Multimedia information retrieval**

Publisher: ACM Press

Full text available: pdf(490.67 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

In this paper, we propose an ontology-based approach for analyzing social interaction patterns in a nursing home from video. Social interaction patterns are broken into individual activities and behavior events using a multi-level context hierarchy ontology framework. To take advantage of an ontology in representing how social interactions evolve, we design and refine the ontology based on knowledge gained from 80 hours of video recorded in the public spaces of a nursing home. The ontology is ...

Keywords: human activity, medical care, ontology, social interaction, stochastic modeling

9 Miscellaneous II: Mohonk: mobile honeypots to trace unwanted traffic early



Balachander Krishnamurthy

September 2004 **Proceedings of the ACM SIGCOMM workshop on Network troubleshooting: research, theory and operations practice meet malfunctioning reality**

Publisher: ACM Press

Full text available: pdf(133.12 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Honeypots have been traditionally used to advertise dark address space and gather information about originators of traffic to such addresses. With simple thresholding mechanisms this technique has shown itself to be fairly effective in identifying suspicious IP addresses. Honeypots are however unsuitable to locate the precise entry point of unwanted traffic. Tracing back to the origination of such traffic is hard due to the delay and difficulty of maintaining state along the path of such traffic ...

Keywords: network monitoring, unwanted packets

10 A pyramid-based approach to interactive terrain visualization



James Kaba, Joseph Peters

November 1993 **Proceedings of the 1993 symposium on Parallel rendering**

Publisher: ACM Press

Full text available: pdf(2.18 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

Keywords: image rotation, mip maps, parallel rendering, pyramids, scan-line algorithms, terrain rendering

11

Design issues in a Rule-Based System



USPTO

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

four-pass filter

SEARCH

THE ACM DIGITAL LIBRARY


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **four pass filter**

Found 13,039 of 186,958

Sort results by

relevance

Display results

expanded form

[Save results to a Binder](#)[Search Tips](#)☐ Open results in a new window[Try an Advanced Search](#)[Try this search in The ACM Guide](#)

Results 1 - 20 of 200

Result page: [1](#) [2](#) [3](#) [4](#) [5](#) [6](#) [7](#) [8](#) [9](#) [10](#) [next](#)

Best 200 shown

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Media and signal processing: ASIP design and synthesis for non linear filtering in image processing](#)

L. Fanucci, M. Cassiano, S. Saponara, D. Kammler, E. M. Witte, O. Schliebusch, G. Ascheid, R. Leupers, H. Meyr

 March 2006 **Proceedings of the conference on Design, automation and test in Europe: Designers' forum DATE '06**

Publisher: European Design and Automation Association

 Full text available: [pdf\(381.87 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper presents an Application Specific Instruction Set Processor (ASIP) design for the implementation of a class of nonlinear image processing algorithms, the Retinex-like filters. Starting from high level descriptions, first algorithmic optimization is accomplished. Then a processor architecture and an instruction set are customized with special respect to the algorithmic computations in order to achieve the specified timing at reasonable complexity. Taking advantage of the programmability ...

2 [Industry/government track paper: Email data cleaning](#)



Jie Tang, Hang Li, Yunbo Cao, Zhaohui Tang

 August 2005 **Proceeding of the eleventh ACM SIGKDD international conference on Knowledge discovery in data mining KDD '05**

Publisher: ACM Press

 Full text available: [pdf\(613.87 KB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Addressed in this paper is the issue of 'email data cleaning' for text mining. Many text mining applications need take emails as input. Email data is usually noisy and thus it is necessary to clean it before mining. Several products offer email cleaning features, however, the types of noises that can be eliminated are restricted. Despite the importance of the problem, email cleaning has received little attention in the research community. A thorough and systematic investigation on the issue is t ...

Keywords: data cleaning, email processing, statistical learning, text mining

3 [Visualization: GPU-based frequency domain volume rendering](#)



Ivan Viola, Armin Kanitsar, Meister Eduard Gröller

 April 2004 **Proceedings of the 20th spring conference on Computer graphics**

Publisher: ACM Press

 Full text available: [pdf\(1.80 MB\)](#) Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Frequency domain volume rendering (FVR) is a volume rendering technique with lower computational complexity as compared to other techniques. In this paper the FVR algorithm is accelerated by factor of 17 by mapping the rendering stage to the GPU. The

overall hardware-accelerated pipeline is discussed and the changes according to previous work are pointed out. The three-dimensional transformation into frequency domain is done in a pre-processing step. The rendering step is computed completely ...

Keywords: fourier transform, fourier volume rendering, hardware acceleration, hartley transform

4 Volume rendering on the MasPar MP-1



Guy Vézina, Peter A. Fletcher, Philip K. Robertson

December 1992 **Proceedings of the 1992 workshop on Volume visualization VVS '92**

Publisher: ACM Press

Full text available: pdf(725.62 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

5 I/O optimal isosurface extraction (extended abstract)

Yi-Jen Chiang, Cláudio T. Silva

October 1997 **Proceedings of the 8th conference on Visualization '97**

Publisher: IEEE Computer Society Press

Full text available: pdf(1.45 MB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)
[Publisher Site](#)

6 Architectural and compiler support for effective instruction prefetching: a cooperative approach



February 2001 **ACM Transactions on Computer Systems (TOCS)**, Volume 19 Issue 1

Publisher: ACM Press

Full text available: pdf(432.96 KB) Additional Information: [full citation](#), [abstract](#), [references](#), [citations](#), [index terms](#), [review](#)

Instruction cache miss latency is becoming an increasingly important performance bottleneck, especially for commercial applications. Although instruction prefetching is an attractive technique for tolerating this latency, we find that existing prefetching schemes are insufficient for modern superscalar processors, since they fail to issue prefetches early enough (particularly for nonsequential accesses). To overcome these limitations, we propose a new instruction prefetching technique where ...

Keywords: compiler optimization, instruction prefetching

7 High performance interprocessor communication through optical wavelength division multiple access channels



Patrick W. Dowd

April 1991 **ACM SIGARCH Computer Architecture News , Proceedings of the 18th annual international symposium on Computer architecture ISCA '91**, Volume 19 Issue 3

Publisher: ACM Press

Full text available: pdf(968.65 KB) Additional Information: [full citation](#), [references](#), [citations](#), [index terms](#)

8 Synthesis for low power: On multiple-voltage high-level synthesis using algorithmic transformations



Hsueh-Chih Yang, Lan-Rong Dung

January 2005 **Proceedings of the 2005 conference on Asia South Pacific design automation ASP-DAC '05**

Publisher: ACM Press


[SPIE DL home](#) | [Scitation home](#) | [Search SPIN](#) | [help](#) | [contact](#) | [sign in](#) | [sign out](#)

SPIE Digital Library

Proceedings

Journals

SPIE—The International Society for Optical Engineering

[My SPIE Subscription](#) | [My E-mail Alerts](#) | [My Article Collections](#)
[Home](#) » [Advanced Search](#) » Search Results

SEARCH DIGITAL LIBRARY

[\[Back to Search Query\]](#) | [Start New Search](#) | [Searching Hints](#)

Search

Advanced Search

BROWSE PROCEEDINGS

☒ Proceedings

- ☐ By Year
- ☐ By Symposium
- ☐ By Volume No.
- ☐ By Volume Title
- ☐ By Technology

BROWSE JOURNALS

☒ Journals

- ☐ Optical Engineering
- ☐ J. Electronic Imaging
- ☐ J. Biomedical Optics
- ☐ J. Microlithography, Microfabrication, and Microsystems

SUBSCRIPTIONS & PRICING

- ☒ Institutions & Corporations
- ☒ Personal subscriptions

GENERAL INFORMATION

- ☒ About the Digital Library
- ☒ Terms of Use
- ☒ SPIE Home

Search Results

You were searching for : (((4-pass <or> four-pass) <and>(filter))) <AND> usdate <=1-jul-2003

You found 2 out of 229677 (2 returned)

Documents 1 - 2 listed on this page

Options for selected Articles

Go

2

Adding to MyArticles will open a second window (Scitation login required). **YOUR CART**


[Related SPIE Products]

77%

1. ☐ **Preliminary design of Technical Integration Line (TIL) for the SG-III laser facility**
 Xiao Min Zhang, Feng Jing, Z. Shui, XiaoFeng Wei, Wanguo Zheng, Qi-Xiang Zhu, D. Fan, and Hansheng Peng
 Proc. SPIE **3492**, 877 (1999) **Full Text:** [PDF (1008 kB)] (7 pages)

77%

2. ☐ **High-power phosphate-glass laser system Luch: a prototype of the Iskra-6 facility module**
 Stanislav A. Sukharev
 Proc. SPIE **3492**, 12 (1999) **Full Text:** [PDF (2598 kB)] (13 pages)


[home](#) | [proceedings](#) | [journals](#)
[Terms of Use](#) | [Privacy Policy](#) | [Contact](#)

© 1994 - 2006


 The International Society
for Optical Engineering



Welcome United States Patent and Trademark Office

☐ Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

SUPPORT

Results for "(((4-pass <or> four-pass<in>metadata) <and> (filter<in>metadata))) <..."

Your search matched **22** of **1430374** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

 e-mail  printer friendly

» Search Options

[View Session History](#)

New Search

» **Key**

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference
Proceeding

IEE CNF IEE Conference
Proceeding

IEEE STD IEEE Standard

Modify Search

(((4-pass <or> four-pass<in>metadata) <and> (filter<in>metadata))) <and> (pyr >

☐ Check to search only within this results set

Display Format: ☒ Citation ☐ Citation & Abstract

view selected items Select All Deselect All

1. **Statistical analysis for the convergence rate of signals to median filter roots**
Mao, M.; Gan, Z.J.;
Signal Processing, IEEE Transactions on [see also Acoustics, Speech, and Signal Processing, IEEE Transactions on]
Volume 41, Issue 7, July 1993 Page(s):2499 - 2502
Digital Object Identifier 10.1109/78.224259
[AbstractPlus](#) | Full Text: [PDF\(288 KB\)](#) IEEE JNL
[Rights and Permissions](#)
2. **A multi-pass rebuild of the HELEN high power laser at AWE**
Norman, M.J.; Andrew, J.B.; Bett, T.H.; Clifford, R.K.; Donley, M.D.; England, J.E.; Hopps, N.W.;
McInnes, H.A.; Nolan, J.R.; Parker, K.W.; Porter, K.; Roberts, S.D.; Stevenson, R.M.;
Lasers and Electro-Optics Europe, 2000. Conference Digest, 2000 Conference on
10-15 Sept 2000 Page(s):1 pp.
Digital Object Identifier 10.1109/CLEOE.2000.909859
[AbstractPlus](#) | Full Text: [PDF\(92 KB\)](#) IEEE CNF
[Rights and Permissions](#)
3. **Compact, single-frequency, high-power Nd: glass laser**
Yanovsky, V.P.; Richardson, M.C.; Miesak, E.J.;
Quantum Electronics, IEEE Journal of
Volume 30, Issue 4, April 1994 Page(s):884 - 886
Digital Object Identifier 10.1109/3.291356
[AbstractPlus](#) | Full Text: [PDF\(280 KB\)](#) IEEE JNL
[Rights and Permissions](#)
4. **High-T/sub c/ superconducting planar filters with improved performance**
Vendik, I.B.; Gashinova, M.S.; Goubina, M.N.; Kolmakov, Y.A.; Kolmakov, I.A.; Zhang, G.Y.;
Applied Superconductivity, IEEE Transactions on
Volume 13, Issue 2, Part 1, June 2003 Page(s):284 - 286
Digital Object Identifier 10.1109/TASC.2003.813710
[AbstractPlus](#) | [References](#) | Full Text: [PDF\(219 KB\)](#) IEEE JNL
[Rights and Permissions](#)
5. **On the detection of dominant points on digital curves**
Teh, C.-H.; Chin, R.T.;
Pattern Analysis and Machine Intelligence, IEEE Transactions on
Volume 11, Issue 8, Aug. 1989 Page(s):859 - 872
Digital Object Identifier 10.1109/34.31447
[AbstractPlus](#) | Full Text: [PDF\(992 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 6. **A program for the design of linear phase finite impulse response digital filters**
Parks, T.; McClellan, J.;
[Audio and Electroacoustics, IEEE Transactions on](#)
Volume 20, Issue 3, Aug 1972 Page(s):195 - 199
[AbstractPlus](#) | Full Text: [PDF\(368 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 7. **Designing simple, effective digital filters**
Tufts, D.; Rorabacher, D.; Mosier, W.;
[Audio and Electroacoustics, IEEE Transactions on](#)
Volume 18, Issue 2, Jun 1970 Page(s):142 - 158
[AbstractPlus](#) | Full Text: [PDF\(1472 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 8. **A new IIR Nyquist filter with zero intersymbol interference and its frequency response approximation**
Nakayama, K.; Mizukami, T.;
[Circuits and Systems, IEEE Transactions on](#)
Volume 29, Issue 1, Jan 1982 Page(s):23 - 34
[AbstractPlus](#) | Full Text: [PDF\(1160 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 9. **Linear phase bandpass digital filters with variable cutoff frequencies**
Hazra, S.;
[Circuits and Systems, IEEE Transactions on](#)
Volume 31, Issue 7, Jul 1984 Page(s):661 - 663
[AbstractPlus](#) | Full Text: [PDF\(336 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 10. **Accurate tuning curves in a cochlear model**
Kates, J.M.;
[Speech and Audio Processing, IEEE Transactions on](#)
Volume 1, Issue 4, Oct. 1993 Page(s):453 - 462
Digital Object Identifier 10.1109/89.242491
[AbstractPlus](#) | Full Text: [PDF\(900 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 11. **Development of a crosstalk measurement type three-dimensional digital color decoder**
Ito, S.-E.; Lowlor, R.; Ebihara, N.;
[Consumer Electronics, IEEE Transactions on](#)
Volume 39, Issue 2, May 1993 Page(s):63 - 70
Digital Object Identifier 10.1109/30.214809
[AbstractPlus](#) | Full Text: [PDF\(524 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 12. **Properties of a Series of Nested Median Filters, Namely the Data Sieve**
Bangham, J.A.;
[Signal Processing, IEEE Transactions on \[see also Acoustics, Speech, and Signal Processing, IEEE Transactions on\]](#)
Volume 41, Issue 1, January 1993 Page(s):31
Digital Object Identifier 10.1109/TSP.1993.193125
[AbstractPlus](#) | Full Text: [PDF\(1076 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ 13. **Efficient narrowband FIR and IFIR filters based on powers-of-two sigma-delta coefficient truncation**
Powell, S.R.; Chau, P.M.;
[Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on \[see also Circuits and Systems II: Express Briefs, IEEE Transactions on\]](#)
Volume 41, Issue 8, Aug. 1994 Page(s):497 - 505
Digital Object Identifier 10.1109/82.318938
[AbstractPlus](#) | Full Text: [PDF\(752 KB\)](#) IEEE JNL

[Rights and Permissions](#)

- ☐ 14. **Adaptive motion-compensated wavelet filtering for image sequence coding**
Leduc, J.-P.; Odobez, J.-M.; Labit, C.;
[Image Processing, IEEE Transactions on](#)
Volume 6, Issue 6, June 1997 Page(s):862 - 878
Digital Object Identifier 10.1109/83.585236
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(516 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 15. **Image filtering using hyperstable adaptive algorithms**
Tan, A.C.; Sheng-Tsai Chen; Basu, S.;
[Circuits and Systems II: Analog and Digital Signal Processing, IEEE Transactions on \[see also Circuits and Systems II: Express Briefs, IEEE Transactions on\]](#)
Volume 44, Issue 5, May 1997 Page(s):358 - 370
Digital Object Identifier 10.1109/82.580841
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(492 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 16. **Misalignment distortion penalty in moderate-speed directly modulated WDM systems and its reduction using fiber Bragg grating lasers**
Liu, K.; Wang, W.K.;
[Photonics Technology Letters, IEEE](#)
Volume 9, Issue 12, Dec. 1997 Page(s):1649 - 1651
Digital Object Identifier 10.1109/68.643300
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(60 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 17. **Real-time heart rate variability extraction using the Kaiser window**
Seydnejad, S.R.; Kitney, R.I.;
[Biomedical Engineering, IEEE Transactions on](#)
Volume 44, Issue 10, Oct. 1997 Page(s):990 - 1005
Digital Object Identifier 10.1109/10.634651
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(448 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 18. **Tunable microwave filters using ferroelectric materials**
Vendik, I.; Vendik, O.; Pleskachev, V.; Nikol'ski, M.;
[Applied Superconductivity, IEEE Transactions on](#)
Volume 13, Issue 2, Part 1, June 2003 Page(s):716 - 719
Digital Object Identifier 10.1109/TASC.2003.814013
[AbstractPlus](#) | [References](#) | Full Text: [PDF](#)(307 KB) IEEE JNL
[Rights and Permissions](#)
- ☐ 19. **Microoptic spatial mode conversion for terawatt class amplifiers**
Chowdhury, E.A.; Ongadi, G.; Walker, B.C.; Tamosaitis, R.S.; Leleko, V.;
[Lasers and Electro-Optics, 2003. CLEO '03. Conference on](#)
1-6 June 2003 Page(s):2 pp.
Digital Object Identifier 10.1109/CLEO.2003.1297770
[AbstractPlus](#) | Full Text: [PDF](#)(270 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 20. **Digital image filtration on cellular neural network**
Khryashyov, V.V.; Priorov, A.L.; Sautov, E.Yu.; Sokolenko, E.A.;
[Artificial Intelligence Systems, 2002. \(ICAIS 2002\). 2002 IEEE International Conference on](#)
5-10 Sept. 2002 Page(s):248 - 251
Digital Object Identifier 10.1109/ICAIS.2002.1048101
[AbstractPlus](#) | Full Text: [PDF](#)(264 KB) IEEE CNF
[Rights and Permissions](#)
- ☐ 21. **Efficient analysis of some nonlinearities in SC and SI filter networks**
Shang, Z.Q.; Sewell, J.I.;

Digital and Analogue Filters and Filtering Systems, IEE Colloquium on
30 Nov 1994 Page(s):10/1 - 10/5

[AbstractPlus](#) | Full Text: [PDF](#)(200 KB) IEE CNF



22. Multiscale median and morphological filters used for 2D pattern recognition

Bangham, J.A.; Pye, C.J.; Impey, S.J.; Aldridge, R.V.;

Morphological and Nonlinear Image Processing Techniques, IEE Colloquium on
10 Jun 1993 Page(s):5/1 - 5/3

[AbstractPlus](#) | Full Text: [PDF](#)(1676 KB) IEE CNF

[Help](#) [Contact Us](#) [Privacy & Security](#) [IEEE.org](#)

© Copyright 2006 IEEE – All Rights Reserved

Indexed by
 Inspec[®]

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	9	"10/612057" and curry.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:40
S2	56	(MRC "mixed raster") same ((selector edge) near5 plane).	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:44
S3	0	S2 same bianr\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:08
S4	1498	(edge near5 detect\$3) with segment\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:36
S5	5	(MRC "mixed raster") same ((selector mask) near5 plane) same (edge with segment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:15
S6	262	S4 same (threshold\$3 binar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:34
S7	163	S4 with (threshold\$3 binar\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:34
S8	154	S4 with (threshold\$3 binari\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:35
S9	20	S4 with (binari\$6)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:35

EAST Search History

S10	55	(edge near5 detect\$3) with (direction with strength)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:40
S11	7	S10 same segment\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:43
S12	3635	(edge with direction with (strength magnitude))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:42
S13	6	S12 same segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 14:43
S14	2	EP-712094-\$.did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/27 16:12
S15	16	PDL with "image pixel"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:19
S16	21	(MRC "mixed raster") same (segment\$5 with "text" with "image")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 13:05
S17	44	(MRC "mixed raster") and (segment\$5 with "text" with "image")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:08
S18	19	((("5583659") or ("6400844") or ("6324305") or ("4849914") or ("5515452") or ("5745596") or ("5900953") or ("6058214") or ("6343154") or ("6633670"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 14:32
S19	21	(MRC "mixed raster") and (segmentation with edge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:09

EAST Search History

S20	8	(MRC "mixed raster") and ((selector mask) near5 plane) same (edge with segment\$5)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:16
S21	41	(MRC "mixed raster") and ((selector mask) near5 plane) same segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:17
S22	83	(MRC "mixed raster") same segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:17
S23	64	(MRC "mixed raster") with segmentation	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:17
S24	1617	("3x3" "3 x 3" "3 by 3")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:40
S25	2014	((segment\$5 separat\$3) with foreground with background)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 11:08
S26	6	S24 and S25	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 14:41
S27	94	S25 same (window neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:23
S28	33	S25 with (window neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:10
S29	3	("6701009").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/10/30 15:11

EAST Search History

S30	85	S25 with edge	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:23
S31	15	S25 with (edge near5 detect\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/30 15:23
S32	42	gradient with white with background	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 09:46
S33	194	((determin\$5 designat\$3 assign\$3) with (text graphic foreground) with background) same (window bblock neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 11:14
S34	7	((determin\$5 designat\$3 assign\$3) with (text graphic foreground) with background) with (neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 11:10
S35	27	((determin\$5 designat\$3 assign\$3) with (text graphic foreground) with background) same (neighborhood)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 11:14
S36	10	PDL with (pixel near5 (type class category tag))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S37	247	PDL with (text with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S38	0	(PDL with tag with text with image)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:22
S39	0	S37 with tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:23

EAST Search History

S40	3	S37 same tag	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:23
S41	30	S37 with (tag type kind categor\$4 type class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:59
S42	35	S37 with raster	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 12:56
S43	39	(PDL with conver\$4 with raster\$7) same (text with image with tag type kind categor\$4 type class)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 13:00
S44	9	"10/612,250" and curry.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/10/31 16:25
S45	1	(replac\$3 substitut\$3 chang\$3) with ("by" "with") with ((filter\$3 transform\$5 correct\$3 adjust\$3) near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:22
S46	85202	(replac\$3 substitut\$3 chang\$3) with ((filter\$3 transform\$5 correct\$3 adjust\$3) near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:23
S47	18142	(replac\$3 substitut\$3 chang\$3) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:23
S48	1267	(replac\$3 substitut\$3 chang\$3) with (select\$2 specific designated chosen) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:24
S49	460	((replac\$3 substitut\$3 chang\$3) near5 (select\$2 specific designated chosen)) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:25

EAST Search History

S50	44	((replac\$3 substitut\$3) near3 (select\$2 specific designated chosen)) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:30
S51	40	((replac\$3 substitut\$3) near3 (noise)) with (filter\$3 near3 (value result data signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 14:35
S52	367	(partition\$3 near5 (mask select\$3)) same (filter\$3 smooth\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:32
S53	217	(partition\$3 near5 (mask select\$3)) with (filter\$3 smooth\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:32
S54	206	(partition\$3 near5 (mask select\$3)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:32
S55	31	(partition\$3 near5 (mask)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:34
S56	6	(partition\$3 near5 selector) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:35
S57	0	(partition\$3 near5 (edge adj1 (map image))) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:48
S58	6	((divid\$3 partition\$3) near5 (edge adj1 (map image))) with (filter\$3 smooth\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/01 15:36
S59	1308	((gradient edge) adj1 (map image)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:48

EAST Search History

S60	191	((gradient) adj1 (map image)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 11:01
S61	17	((gradient) adj1 (map)) with (filter\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 10:49
S62	33	((gradient) adj1 (image)) with (filtered)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:34
S63	32	((gradient) adj1 (image map)) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:17
S64	3	((gradient) adj1 (image map)) with (partition\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 12:34
S65	2323	(direction\$2 near3 (image map)) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:14
S66	17	(direction adj1 map) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:14
S67	10	(gradient with (edge adj1 (image map))) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:18
S68	51	((direction orientation gradient) with (edge adj1 (image map))) with (partition\$3 divid\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 14:43
S69	2159	image with ((bias\$3 subtract\$3 offset\$3 normaliz\$3) near5 (mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:20

EAST Search History

S70	905	image with (bias\$3 near5 (mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:21
S71	66	image with (bias\$3 adj3(mean average))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:14
S72	17	(difference adj1 image) with partition\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 15:22
S73	7	((gradient edge) adj1 image) with (subtract\$3 adj3(mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:09
S74	8	((gradient edge) adj1 image) with (subtract\$3 near5 (mean average constant))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:20
S75	10	((gradient edge) adj1 (image map)) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:24
S76	21	(gray\$1scale gray\$1level) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:24
S77	124	((gradient edge) near3 (image map)) same ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:10
S78	27	((gradient edge) near3 (image map)) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:25
S79	6534	(MRC "mixed raster")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:45

EAST Search History

S80	117	(MRC "mixed raster") same compression	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 16:49
S83	2082	((gradient edge)) same ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:10
S84	153	((gradient)) with ((bias\$3 subtract\$3) near5 (mean average constant offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:11
S85	57	((gradient)) with ((subtract\$3) near5 (mean average bias offset))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/02 17:11
S86	1792	((signal value gradient mask) near5 ("1" "-1")) with weak	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:51
S87	20	S86 and (MRC "mixed raster")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:47
S88	20709	(filter\$3 LPF HPF smooth\$3 sharpen\$3) with (4-pass four\$1pass ("4" four) near5 (pass\$2 iterat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:56
S89	1697	(filter\$3 LPF HPF smooth\$3 sharpen\$3) with (4-pass four\$1pass ("4" four) adj1 (pass\$2 iterat\$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:56
S90	203	S88 and JPEG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:58
S91	8	S88 same JPEG	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 10:57

EAST Search History

S92	5765	382/164,173,176,180;358/1.1,1.18. ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 12:21
S93	51	S92 and (MRC "mixed raster")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/11/03 12:22